



**PRODUCT SUBMITTAL DATA**

**COLDMARK™ AMMONIA REFRIGERATION SELF-STICK MARKER**



**DESCRIPTION:** Durable, low temp self-stick, 4 mil vinyl with durable UV screen inks.

**USE:** To Identify Ammonia Refrigeration Piping.

**COMPLIANCE:** Complies with International Institute of Ammonia Refrigeration (IIAR) Recommended Guidelines Bulletin #1147

Coldmark™ IIAR Ammonia Refrigeration System self-stick pipe markers

Craftmark's Coldmark™ self-stick pipemarkers are designed for use on Ammonia Refrigeration piping. Applies to clean, dry, oil free piping down to 32°F (0°C). Sturdy 4 mil vinyl with ultra durable UV inks.

**FEATURES**

- Indoor/Outdoor grade premium vinyl.
- Applies to pipe and insulation as low as 32°F (0°C)
- 31 stock legends
- Meets IIAR Bulletin #114
- Arrows can be aimed in either direction
- Sizes to fit 3/4" thru 10"+ piping
- Custom available at no additional charge!

COLDMARK STYLE	FITS PIPE SIZE	MARKER SIZE	LETTER SIZE
AR1 ◀ LTRS LIQ VAP AMMONIA	.75"-1.25"	1"-8"	.75"
AR2 ◀ LTRS LIQ VAP AMMONIA	1.5"-2"	1.5"x8"	1.25"
AR3 ◀ LTRS LIQ VAP AMMONIA	2.5"-6"	2.5"x12"	2"
AR4 ◀ LTRS LIQ VAP AMMONIA	6"-10"	3.5"x24"	3"
AR5 ◀ LTRS LIQ VAP AMMONIA	10"+	4.5"x32"	3.5"

DATE: \_\_\_ / \_\_\_ / \_\_\_

JOB: \_\_\_\_\_

CONTRACTOR: \_\_\_\_\_

# **COLDMARK™ AMMONIA REFRIGERATION SELF-STICK MARKER (Continued)**

---

ADHESIVE: Low temp permanent acrylic adhesive.

---

SURFACE PREPARATION: Apply to clean, dry, oil free piping.

---

SERVICE TEMPERATURE: -40°F to 200°F (-40°C to 93°C)

---

APPLICATION TEMPERATURE: 32°F (0°C)

---

AVERAGE OUTDOOR DURABILITY: 5 years mid continental United States

---

CHEMICAL RESISTANCE: GOOD

---

MOISTURE RESISTANCE: EXCELLENT

---

ABRASION RESISTANCE: GOOD

---

GLOSS: 40 Gardner Units (20° test)

---

STORAGE STABILITY: 2 years when stored at 70°F (21°C) at 50% relative humidity.

---

DATE: \_\_\_ / \_\_\_ / \_\_\_

JOB: \_\_\_\_\_

CONTRACTOR: \_\_\_\_\_